ELSEVIER

Brain Research 709 (1996) 343–345

BRAIN RESEARCH

Author Index

Agid, Y., see Blanchard, V. (709) 319
Albin, R.L., see Kaatz, K.W. (709) 205
Altar, C.A., see Jones, B.E. (709) 275
Altar, C.A., see Radka, S.F. (709) 122
Anglade, P., see Blanchard, V. (709) 319
Aronowski, J. and Grotta, J.C.
Ca^{2+}/calmodulin-dependent protein kinase II in postsynaptic densities after reversible cerebral ischemia in rats (709) 103

Behan, D.P., Cepoi, D., Fischer, W.H., Park, M., Sutton, S., Lowry, P.J. and Vale, W.W.
Characterization of a sheep brain corticotropin releasing factor binding protein (709) 265
Blanchard, V., Anglade, P., Dziewczapolski, G., Savasta, M., Agid, Y. and Raisman-Vozari, R.
Dopaminergic sprouting in the rat striatum after partial lesion of the substantia nigra (709) 319
Blau, S., see Ivkovic, S. (709) 10
Boylan, C.B., see Jones, B.E. (709) 275
Braunberg, R.C., see Kim, C.S. (709) 59
Bray, G.A., see Nagase, H. (709) 44
Buerk, D.G., see Lahiri, S. (709) 141

Cataltepe, O., Towfighi, J. and Vannucci, R.C.
Cerebrospinal fluid concentrations of glutamate and GABA during perinatal cerebral hypoxia-ischemia and seizures (709) 326
Cepoi, D., see Behan, D.P. (709) 265
Chandler, M.J., see Zhang, J. (709) 337
Charara, A., see Lévesque, M. (709) 311
Chaudhuri, A., Zangenehpour, S., Matsubara, J.A. and Cynader, M.S.
Differential expression of neurofilament protein in the visual system of the vervet monkey (709) 17
Checler, F., see Vincent, B. (709) 51
Chen, F.A., see Fine, M.L. (709) 65
Chugh, D.K., see Lahiri, S. (709) 141
Clément, Y., Kia, K.H., Daval, G. and Vergé, D.
An autoradiographic study of serotonergic receptors in a murine genetic model of anxiety-related behaviors (709) 229
Crawley, J.N., see Robinson, J.K. (709) 81
Cynader, M.S., see Chaudhuri, A. (709) 17

Daval, G., see Clément, Y. (709) 229
De Groat, W.C., see Matsumoto, G. (709) 197
Deschênes, M., see Lévesque, M. (709) 311
Dong, K., see Qu, T. (709) 251
Dostert, P., see Naoi, M. (709) 285
Dziewczapolski, G., see Blanchard, V. (709) 319

Ebling, F.J.P., see Sumova, A. (709) 88
Ehrlich, M.E., see Ivkovic, S. (709) 10
Erskine, M.S., see Frye, C.A. (709) 1

Feldman, P.D., Parveen, N. and Sezen, S.
Cardiovascular effects of Leu-enkephalin in the nucleus tractus solitarius of the rat (709) 331
Feltz, P., see Hayar, A. (709) 173
Figueredo-Cardenas, G., Medina, L. and Reiner, A.
Calretinin is largely localized to a unique population of striatal interneurons in rats (709) 145
Fine, M.L., Chen, F.A. and Keefer, D.A.
Autoradiographic localization of dihydrotestosterone and testosterone concentrating neurons in the brain of the oyster toadfish (709) 65
Fischer, W.H., see Behan, D.P. (709) 265
Foreman, R.D., see Zhang, J. (709) 337
Friedman, L., see Kim, C.S. (709) 59
Fritsche, M., see Jones, B.E. (709) 275
Fritsche, M., see Radka, S.F. (709) 122
Frye, C.A., Van Keuren, K.R., Rao, P.N. and Erskine, M.S.
Analgesic effects of the neurosteroid 3α-androstanediol (709) 1
Fujiwara, M., see Iwasaki, K. (709) 163

Gagnon, S., see Lévesque, M. (709) 311
Goldie, R., see Renshaw, G.M.C. (709) 316
Grotta, J.C., see Aronowski, J. (709) 103
Gürün, S., see Savci, V. (709) 97

Harper, S.J., Macaulay, A.J., Hill, R.G. and Priestley, T.
The effects of insulin-like growth factor analogues on survival of cultured cerebral cortex and cerebellar granule neurones (709) 303
Hashizume, Y., see Naoi, M. (709) 285
Hastings, M.H., see Sumova, A. (709) 88
Hayar, A., Piguet, P. and Feltz, P.
GABA-induced responses in electrophysiologically characterized neurons within the rat rostro-ventrolateral medulla in vitro (709) 173
Hill, R.G., see Harper, S.J. (709) 303
Hiraiwa, M., see Inuzuka, T. (709) 151
Hisamitsu, T., see Matsumoto, G. (709) 197
Holst, P.A., see Radka, S.F. (709) 122
Hozumi, I., see Inuzuka, T. (709) 151
Hurley, M.J., Jolkkonen, J., Stubbs, C.M., Jenner, P. and Marsden, C.D.
Dopamine D_3 receptors in the basal ganglia of the common marmoset and following MPTP and L-DOPA treatment (709) 259
Hyman, C., see Jones, B.E. (709) 275

Ikeda, M., see Matsuo, Y. (709) 296
Inuzuka, T., Hozumi, I., Tamura, A., Hiraiwa, M. and Tsuji, S.
Patterns of growth inhibitory factor (GIF) and glial fibrillary acidic protein relative level changes differ following left middle cerebral artery occlusion in rats (709) 151
Ishibashi, Y., see Nakagawa, Y. (709) 215
Ishikawa, K., see Ishimaru, H. (709) 155
Ishima, T., see Nakagawa, Y. (709) 215
Ishimaru, H., Ishikawa, K., Ohe, Y., Takahashi, A. and Maruyama, Y.
Cystatin C and apolipoprotein E immunoreactivities in CA1 neurons in ischemic gerbil hippocampus (709) 155
Ivkovic, S., Blau, S., Polanskaya, O. and Ehrlich, M.E.
ARPP-21: murine gene structure and promoter identification of a neuronal phosphoprotein enriched in the limbic striatum (709) 10
Iwasaki, K., Kitamura, Y., Ohgami, Y., Mishima, K. and Fujiwara, M.
The disruption of spatial cognition and changes in brain amino acid, monoamine and acetylcholine in rats with transient cerebral ischemia (709) 163

Jackson, C., see Jones, B.E. (709) 275
Jenner, P., see Hurley, M.J. (709) 259
Johnson, W., see Kim, C.S. (709) 59
Jolkkonen, J., see Hurley, M.J. (709) 259
Jones, B.E., Boylan, C.B., Fritsche, M., Juhasz, M., Jackson, C., Wiegand, S.J., Hyman, C., Lindsay, R.M. and Altar, C.A.
A continuous striatal infusion of 6-hydroxydopamine produces a terminal axotomy and delayed behavioral effects (709) 275
Juhasz, M., see Jones, B.E. (709) 275

Kaatz, K.W. and Albin, R.L.
Intraseptal administration of (1*S*,3*R*)-1-aminocyclopentane-1,3-dicarboxylic acid induces immediate early gene expression in lateral septal neurons (709) 205
Kang, M., Spigelman, I., Sapp, D.W. and Olsen, R.W.
Persistent reduction of $GABA_A$ receptor-mediated inhibition in rat hippocampus after chronic intermittent ethanol treatment (709) 221
Keefer, D.A., see Fine, M.L. (709) 65
Kia, K.H., see Clément, Y. (709) 229
Kihara, T., see Matsuo, Y. (709) 296
Kim, C.S., Virella, A., Braunberg, R.C., Ross, I.A., Matthews, R.N., Johnson, W. and Friedman, L.
Kinetic analysis of glutamate transport by the miniswine choroid plexus in vitro (709) 59
Kiran, B.K., see Savci, V. (709) 97
Kitamura, Y., see Iwasaki, K. (709) 163
Kogure, K., see Matsuo, Y. (709) 296

Lahiri, S., Osanai, S., Buerk, D.G., Mokashi, A. and Chugh, D.K.
Thapsigargin enhances carotid body chemosensory discharge in response to hypoxia in zero $[Ca^{2+}]_e$: evidence for intracellular Ca^{2+} release (709) 141
Lévesque, M., Charara, A., Gagnon, S., Parent, A. and Deschênes, M.
Corticostriatal projections from layer V cells in rat are collaterals of long-range corticofugal axons (709) 311
Lindsay, R.M., see Jones, B.E. (709) 275
Lowry, P.J., see Behan, D.P. (709) 265

Macaulay, A.J., see Harper, S.J. (709) 303
Margolskee, R.F., see McKinnon, P.J. (709) 27
Marsden, C.D., see Hurley, M.J. (709) 259
Maruyama, W., see Naoi, M. (709) 285
Maruyama, Y., see Ishimaru, H. (709) 155
Matsubara, J.A., see Chaudhuri, A. (709) 17
Matsumoto, G., Vizzard, M.A., Hisamitsu, T. and De Groat, W.C.
Increased c-*fos* expression in spinal neurons induced by electrical stimulation of the ureter in the rat (709) 197
Matsuo, Y., Kihara, T., Ikeda, M., Ninomiya, M., Onodera, H. and Kogure, K.
Role of platelet-activating factor and thromboxane A_2 in radical production during ischemia and reperfusion of the rat brain (709) 296
Matthews, R.N., see Kim, C.S. (709) 59
Maywood, E.S., see Sumova, A. (709) 88
McGaugh, J.L., see Roozendaal, B. (709) 243
McKinnon, P.J. and Margolskee, R.F.
SC1: a marker for astrocytes in the adult rodent brain is upregulated during reactive astrocytosis (709) 27
Medina, L., see Figueredo-Cardenas, G. (709) 145
Miller, R.F., see Yu, W. (709) 184
Mishima, K., see Iwasaki, K. (709) 163
Mokashi, A., see Lahiri, S. (709) 141
Motahed-Larijani, Z., see Rashidy-Pour, A. (709) 131
Motamedi, F., see Rashidy-Pour, A. (709) 131

Nagase, H., Bray, G.A. and York, D.A.
Effect of galanin and enterostatin on sympathetic nerve activity to interscapular brown adipose tissue (709) 44
Nakagawa, Y., Ishima, T., Ishibashi, Y., Yoshii, T. and Takashima, T.
Involvement of $GABA_B$ receptor systems in action of antidepressants: baclofen but not bicuculline attenuates the effects of antidepressants on the forced swim test in rats (709) 215
Nakahara, D., see Naoi, M. (709) 285
Naoi, M., Maruyama, W., Dostert, P., Hashizume, Y., Nakahara, D., Takahashi, T. and Ota, M.
Dopamine-derived endogenous 1(*R*),2(*N*)-dimethyl-6,7-dihydroxy-1,2,3,4-tetrahydroisoquinoline, *N*-methyl-(*R*)-salsolinol, induced parkinsonism in rat: biochemical, pathological and behavioral studies (709) 285
Niina, H., see Yuhi, T. (709) 37
Niina, H., see Yuhi, T. (709) 37
Ninomiya, M., see Matsuo, Y. (709) 296

Ohe, Y., see Ishimaru, H. (709) 155
Ohgami, Y., see Iwasaki, K. (709) 163
Olsen, R.W., see Kang, M. (709) 221
Onodera, H., see Matsuo, Y. (709) 296
Osanai, S., see Lahiri, S. (709) 141
Ota, M., see Naoi, M. (709) 285

Parent, A., see Lévesque, M. (709) 311
Park, M., see Behan, D.P. (709) 265
Parveen, N., see Feldman, P.D. (709) 331
Pert, A., see Robinson, J.K. (709) 81
Piguet, P., see Hayar, A. (709) 173
Polanskaya, O., see Ivkovic, S. (709) 10
Priestley, T., see Harper, S.J. (709) 303

Qu, T., Dong, K., Sugioka, K. and Yamadori, T.
Demonstration of direct input from the retina to the lateral habenular nucleus in the albino rat (709) 251

Radka, S.F., Holst, P.A., Fritsche, M. and Altar, C.A.
Presence of brain-derived neurotrophic factor in brain and human and rat but not mouse serum detected by a sensitive and specific immunoassay (709) 122
Raisman-Vozari, R., see Blanchard, V. (709) 319
Rao, P.N., see Frye, C.A. (709) 1
Rashidy-Pour, A., Motamedi, F. and Motahed-Larijani, Z.
Effects of reversible inactivations of the medial septal area on reference and working memory versions of the Morris water maze (709) 131
Reiner, A., see Figueredo-Cardenas, G. (709) 145
Renshaw, G.M.C. and Goldie, R.
Neuronal bungarotoxin displaces $[^{125}I]\alpha$-bungarotoxin binding at the neuromuscular junction as well as to the spinal cord during embryogenesis (709) 316
Robinson, J.K., Zocchi, A., Pert, A. and Crawley, J.N.
Galanin microinjected into the medial septum inhibits scopolamine-induced acetylcholine overflow in the rat ventral hippocampus (709) 81
Roozendaal, B. and McGaugh, J.L.
The memory-modulatory effects of glucocorticoids depend on an intact stria terminalis (709) 243
Ross, I.A., see Kim, C.S. (709) 59

Sapp, D.W., see Kang, M. (709) 221
Savasta, M., see Blanchard, V. (709) 319
Savci, V., Gürün, S., Ulus, İ.H. and Kiran, B.K.
Intracerebroventricular injection of choline increases plasma oxytocin levels in conscious rats (709) 97
Schäfer, S.S. and Schoppmeyer, M.-A.
Time-dependent fusimotor effects on the discharge of cat primary muscle spindle afferents induced by a long-lasting succinylcholine infusion (709) 111
Schoppmeyer, M.-A., see Schäfer, S.S. (709) 111
Selvage, D., see Sumova, A. (709) 88
Sezen, S., see Feldman, P.D. (709) 331
Spigelman, I., see Kang, M. (709) 221
Stubbs, C.M., see Hurley, M.J. (709) 259
Sugioka, K., see Qu, T. (709) 251
Sumova, A., Maywood, E.S., Selvage, D., Ebling, F.J.P. and Hastings, M.H.
Serotonergic antagonists impair arousal-induced phase shifts of the circadian system of the Syrian hamster (709) 88
Sutton, S., see Behan, D.P. (709) 265

Takahashi, A., see Ishimaru, H. (709) 155
Takahashi, T., see Naoi, M. (709) 285
Takashima, T., see Nakagawa, Y. (709) 215
Tamura, A., see Inuzuka, T. (709) 151
Towfighi, J., see Cataltepe, O. (709) 326
Tsuji, S., see Inuzuka, T. (709) 151

Ulus, İ.H., see Savci, V. (709) 97

Vale, W.W., see Behan, D.P. (709) 265
Van Keuren, K.R., see Frye, C.A. (709) 1
Vannucci, R.C., see Cataltepe, O. (709) 326
Vergé, D., see Clément, Y. (709) 229
Vincent, B., Vincent, J.P. and Checler, F.
Purification and characterization of human endopeptidase 3.4.24.16. Comparison with the porcine counterpart indicates a unique cleavage site on neurotensin (709) 51
Vincent, J.P., see Vincent, B. (709) 51
Virella, A., see Kim, C.S. (709) 59
Vizzard, M.A., see Matsumoto, G. (709) 197

Wada, A., see Yuhi, T. (709) 37
Wiegand, S.J., see Jones, B.E. (709) 275

Yamadori, T., see Qu, T. (709) 251
Yamamoto, R., see Yuhi, T. (709) 37
Yanagita, T., see Yuhi, T. (709) 37
York, D.A., see Nagase, H. (709) 44
Yoshii, T., see Nakagawa, Y. (709) 215
Yu, W. and Miller, R.F.
The mechanism by which NBQX enhances NMDA currents in retinal ganglion cells (709) 184
Yuhi, T., Wada, A., Yamamoto, R., Yanagita, T., Niina, H. and Niina, H.
Up-regulation of functional voltage-dependent sodium channels by cyclic AMP-dependent protein kinase in adrenal medulla (709) 37
Zangenehpour, S., see Chaudhuri, A. (709) 17
Zhang, J., Chandler, M.J. and Foreman, R.D.
Thoracic visceral inputs use upper cervical segments to inhibit lumbar spinal neurons in rats (709) 337
Zocchi, A., see Robinson, J.K. (709) 81